










## Good to Know It's There

Whether you need installation equipment for the workshop, a secure electrical connection for a trailer, or a standard socket for retrofitting – you can count on Bosch electrical accessories. The range is comprehensive. First-class Bosch quality that impresses with reliability and durability.

### Line connectors universally applicable / Heat-shrinkage techniques - recommendations




	Butt coupling for conductor cross section 0,1 - 6,0 mm 1987532000, ...01
	Blade receptacle for conductor cross section 0,5 - 6,0 mm 1987532024, ...25

### Line connectors universally applicable with insulation - recommendations




	Blade receptacle for conductor cross section 1,5-2,5 mm <sup>2</sup> 1901355881, ...80, ...82
	Blade receptacle for conductor cross section 0,5 - 2,5 mm <sub>c</sub> 8784478014, ... 015
	Butt coupling for conductor cross section 0,5 - 6,0 mm <sub>c</sub> 8784485000, ... 001
	Blade terminal for conductor cross section 0,5 - 2,5 mm 8784480010, ... 011
	Blade receptacle with branch for conductor cross section 0,5 - 2,5 mm 1901360820, ... 821
	Pin receptacle for conductor cross section 0,5 - 2,5 mm <sub>c</sub> 8781355000, ... 800
	Pin terminal for conductor cross section 0,5 - 2,5 mm 8784480000, ... 001

Good to Know It's There



## Line connectors universally applicable with insulation and blank - recommendations

	<p>Contact thickness M6, For conductor cross section 1,5-2,5 mm<sup>2</sup> 8781353127 Contact width 6,3 mm, Contact thickness 0,8 mm, For conductor cross section 1,5-2,5 mm<sup>2</sup> 8781353121 Contact thickness M5, For conductor cross section 1,5-2,5 mm<sup>2</sup> 8781353126</p>
	<p>Blade receptacle with locking lance for conductor cross section 0,5 - 6,0 mm 1904492016/ 1901355975/ 1901355836</p>
	<p>Blade terminal for conductor cross section 0,5 - 2,5 mm 7781700009, 7781700008</p>


## Plugs and sockets for trailer connection (car)- recommendations

	<p>Plugs and sockets for trailer connection for 3-pole up to 13-pole, car 0352170003, 0352170004, 0352070011</p>
	<p>Panel-mounted standard socket 2-pole Plastic 12A at 6-24V 0986352007</p>
	<p>Panel-mounted standard socket Plastic 12A at 6-24V 0986352804</p>




## Plugs for standard sockets and cigar - lighter sockets recommendations

	<p>Standard plug 0986352000</p>
	<p>Standard plug 0986352015</p>



## Battery-cable terminals - recommendations

	<p>Battery cable terminals 1901315104, 1901315105</p>
---	---

### Car fuses - recomendations

	<p>Mini, standard and maxi flat connection fuses, as per DIN 72581-3/ISO 8820-2</p> <table border="0"> <tr> <td>Standard flat connection fuses, red, 10A</td> <td>1904529905</td> </tr> <tr> <td>Standard flat connection fuses, blue, 15A</td> <td>1904529906</td> </tr> <tr> <td>Standard flat connection fuses, yellow, 20A</td> <td>1904529907</td> </tr> <tr> <td>Standard flat connection fuses, green, 30A</td> <td>1904529909</td> </tr> <tr> <td>Standard flat connection fuses, brown, 7,5A</td> <td>1904529904</td> </tr> <tr> <td>Standard flat connection fuses, beige, 5A</td> <td>1904529903</td> </tr> <tr> <td>Standard flat connection fuses, neutral, 25A</td> <td>1904529908</td> </tr> <tr> <td>Mini flat connection fuses, red, 10A</td> <td>1987529030</td> </tr> <tr> <td>Mini flat connection fuses, blue, 15A</td> <td>1987529031</td> </tr> <tr> <td>Mini flat connection fuses, yellow, 20A</td> <td>1987529032</td> </tr> <tr> <td>Mini flat connection fuses, beige, 5A</td> <td>1987529028</td> </tr> <tr> <td>Mini flat connection fuses, brown, 7,5A</td> <td>1987529029</td> </tr> </table>	Standard flat connection fuses, red, 10A	1904529905	Standard flat connection fuses, blue, 15A	1904529906	Standard flat connection fuses, yellow, 20A	1904529907	Standard flat connection fuses, green, 30A	1904529909	Standard flat connection fuses, brown, 7,5A	1904529904	Standard flat connection fuses, beige, 5A	1904529903	Standard flat connection fuses, neutral, 25A	1904529908	Mini flat connection fuses, red, 10A	1987529030	Mini flat connection fuses, blue, 15A	1987529031	Mini flat connection fuses, yellow, 20A	1987529032	Mini flat connection fuses, beige, 5A	1987529028	Mini flat connection fuses, brown, 7,5A	1987529029
Standard flat connection fuses, red, 10A	1904529905																								
Standard flat connection fuses, blue, 15A	1904529906																								
Standard flat connection fuses, yellow, 20A	1904529907																								
Standard flat connection fuses, green, 30A	1904529909																								
Standard flat connection fuses, brown, 7,5A	1904529904																								
Standard flat connection fuses, beige, 5A	1904529903																								
Standard flat connection fuses, neutral, 25A	1904529908																								
Mini flat connection fuses, red, 10A	1987529030																								
Mini flat connection fuses, blue, 15A	1987529031																								
Mini flat connection fuses, yellow, 20A	1987529032																								
Mini flat connection fuses, beige, 5A	1987529028																								
Mini flat connection fuses, brown, 7,5A	1987529029																								
	<p>Fuse strips, as per DIN 72581/2</p> <p>1191017005</p> <p>1191017003</p>																								
	<p>Torpedo fuses</p> <p>-red, Rated current 16A 1904520018</p> <p>-white, Rated current 8A 1904520016</p>																								

### Set boxes - recomendations

	<p>Setbox Cable connector set</p> <p>1987532100</p>
	<p>Setbox Flat connection fuses</p> <p>1987529079</p>